


SiSiB[®] PC1620

3-(N-cyclohexylamino)propylmethyldimethoxysilane

CHEMICAL STRUCTURE



INTRODUCTION

SiSiB[®] PC1620 is a bifunctional organosilane possessing reactive amino groups and hydrolyzable inorganic methoxysilyl groups. The dual nature of its reactivity allows SiSiB[®] PC1620 to bind chemically to both inorganic materials and organic polymers, thus functioning as an adhesion promoter, surface modifier and as a reactant for product modification.

TYPICAL PHYSICAL PROPERTIES

CAS No.	120218-28-2
EINECS No.	N.A.
Formula	C ₁₂ H ₂₇ NO ₂ Si
Molecular Weight	245.43
Boiling Point	303°C [760mmHg]
Flash Point	136°C
Color and Appearance	Clear to straw liquid
Density _{25/25°C}	0.94
Refractive Index	1.4500
Min Purity	97%

APPLICATIONS

SiSiB[®] PC1620 can be used as coupling agent, adhesion promoters, surface modifier etc.

SiSiB[®] PC1620 can be used in the synthesis of amino-functional silicone fluids.

SiSiB[®] PC1620

3-(N-cyclohexylamino)propylmethyldimethoxysilane

PACKING AND STORAGE

SiSiB[®] PC1620 is supplied in 20Kg plastic drum, 180Kg steel drum or 900Kg IBC container.

In the unopened original container SiSiB[®] PC1620 has a shelf life of one year in a dry and cool place.

NOTES

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability. We disclaim liability for any incidental or consequential damages.

Please send all technical questions concerning quality and product safety to: silanes@SiSiB.com.